

The Practice of Computing Using

# PYTHON

**William Punch**



**Richard Enbody**

## Chapter 4

# Working with Strings



Copyright © 2011 Pearson Education, Inc. Publishing as Pearson Addison-Wesley

Addison-Wesley  
is an imprint of

**PEARSON**

# Sequence of Characters

- We've talked about strings being a sequence of characters.
- A string is indicated between ' ' or " "
- The exact sequence of characters is maintained.



# And Then There is “““ ”””

- Triple quotes preserve both the vertical and horizontal formatting of the string
- Allow you to type tables, paragraphs, whatever and preserve the formatting

```
“””this is  
a test  
today”””
```



# Strings

Can use single or double quotes:

- `S = "spam"`
- `s = 'spam'`

Just don't mix them!

- `myStr = 'hi mom'`  ERROR

Inserting an apostrophe:

- `A = "knight's"` # *mix up the quotes*
- `B = 'knight\'s'` # *escape single quote*



# The Index

- Because the elements of a string are a sequence, we can associate each element with an **index**, a location in the sequence:
  - positive values count up from the left, beginning with index 0
  - negative values count down from the right, starting with -1



characters	H	e	l	l	o		W	o	r	l	d
index	0	1	2	3	4	5	6	7	8	9	10
									...	-2	-1

**FIGURE 4.1** The index values for the string 'Hello World'.



# Accessing an Element

- A particular element of the string is accessed by the index of the element surrounded by square brackets [ ]

```
helloStr = 'Hello World'
```

```
print helloStr[1] => prints 'e'
```

```
print helloStr[-1] => prints 'd'
```

```
print helloStr[11] => ERROR
```



# Slicing: the Rules

- slicing is the ability to select a subsequence of the overall sequence
- uses the syntax `[start : finish]`, where:
  - `start` is the index of where we start the subsequence
  - `finish` is the index of one after where we end the subsequence
- if either `start` or `finish` are not provided, it defaults to the beginning of the sequence for `start` and the end of the sequence for `finish`






# Half Open Range for Slices

- slicing uses what is called a half-open range
- the first index is included in the sequence
- the last index is one after what is included



```
helloString[6:10]
```



**FIGURE 4.2** Indexing subsequences with slicing.



```
helloString[6:]
```

characters	H	e	l	l	o		W	o	r	l	d
index	0	1	2	3	4	5	6	7	8	9	10

↑ first ↑ last

```
helloString[:5]
```


characters	H	e	l	l	o		W	o	r	l	d
index	0	1	2	3	4	5	6	7	8	9	10

↑ first ↑ last

**FIGURE 4.3** Two default slice examples.



```
helloString[3:-2]
```



**FIGURE 4.5** Another slice example.



# Extended Slicing

- also takes three arguments:
  - `[start:finish:countBy]`
- defaults are:
  - `start` is beginning, `finish` is end, `countBy` is 1


```
myStr = 'hello world'
```

```
myStr[0:11:2]  'hlowrd'
```

- every other letter



```
helloString[::2]
```



**FIGURE 4.6** Slicing with a step.



# Some Python “Idioms”

- Idioms are python “phrases” that are used for a common task that might be less obvious to non-python folk.
- How to make a copy of a string:

```
myStr = 'hi mom'  
newStr = myStr[:]
```

- How to reverse a string:

```
myStr = 'madam I'm adam'  
reverseStr = myStr[::-1]
```



# Useful operations

- We can check that a string contains “number” or a substring contains numbers using the **isdigit()** function:
  - Mystr = ‘123’
  - Mystr.isdigit() → TRUE
  - Str= ‘12c’
  - Str.isdigit() → False
  - Str[1].isdigit() → True





# String Operations



# Basic String Operations

```
s = 'spam'
```

- length operator len()

```
len(s)  4
```

- + is concatenate

```
newStr = 'spam' + '-' + 'spam-'
```

```
print newStr  spam-spam-
```

- \* is repeat, the number is how many times

```
newStr * 3 
```

```
spam-spam-spam-spam-spam-spam-
```



# Some Details

- Both + and \* on strings make a new string, but does not modify the arguments.
- Order of operation is important for concatenation, irrelevant for repetition.
- The types required are specific. For concatenation you need two strings; for repetition, a string and an integer.



# What Does $A + B$ Mean?

- What operation does the above represent?  
It depends on the types!
  - two strings, concatenation
  - two integers addition
- The operator  $+$  is **overloaded**.
  - the operation  $+$  performs depends on the types it is working on



# The type function

- You can check the type of the value associated with a variable using type

```
myStr = 'hello world'
```

```
type(myStr)  yields <type 'str'>
```

```
myStr = 245
```

```
type(myStr)  yields <type 'int'>
```



# String Comparisons, Single Char

- There are two systems for representing characters: ASCII and Unicode
- ASCII takes the English letters, numbers and punctuation marks and associates them with an integer number
- Single character comparisons are based on that number



Dec	Hx	Oct	Char	Dec	Hx	Oct	Html	Chr	Dec	Hx	Oct	Html	Chr	Dec	Hx	Oct	Html	Chr
0	0	000	<b>NUL</b> (null)	32	20	040	&#32;	<b>Space</b>	64	40	100	&#64;	<b>@</b>	96	60	140	&#96;	<b>`</b>
1	1	001	<b>SOH</b> (start of heading)	33	21	041	&#33;	<b>!</b>	65	41	101	&#65;	<b>A</b>	97	61	141	&#97;	<b>a</b>
2	2	002	<b>STX</b> (start of text)	34	22	042	&#34;	<b>"</b>	66	42	102	&#66;	<b>B</b>	98	62	142	&#98;	<b>b</b>
3	3	003	<b>ETX</b> (end of text)	35	23	043	&#35;	<b>#</b>	67	43	103	&#67;	<b>C</b>	99	63	143	&#99;	<b>c</b>
4	4	004	<b>EOT</b> (end of transmission)	36	24	044	&#36;	<b>\$</b>	68	44	104	&#68;	<b>D</b>	100	64	144	&#100;	<b>d</b>
5	5	005	<b>ENQ</b> (enquiry)	37	25	045	&#37;	<b>%</b>	69	45	105	&#69;	<b>E</b>	101	65	145	&#101;	<b>e</b>
6	6	006	<b>ACK</b> (acknowledge)	38	26	046	&#38;	<b>&amp;</b>	70	46	106	&#70;	<b>F</b>	102	66	146	&#102;	<b>f</b>
7	7	007	<b>BEL</b> (bell)	39	27	047	&#39;	<b>'</b>	71	47	107	&#71;	<b>G</b>	103	67	147	&#103;	<b>g</b>
8	8	010	<b>BS</b> (backspace)	40	28	050	&#40;	<b>(</b>	72	48	110	&#72;	<b>H</b>	104	68	150	&#104;	<b>h</b>
9	9	011	<b>TAB</b> (horizontal tab)	41	29	051	&#41;	<b>)</b>	73	49	111	&#73;	<b>I</b>	105	69	151	&#105;	<b>i</b>
10	A	012	<b>LF</b> (NL line feed, new line)	42	2A	052	&#42;	<b>*</b>	74	4A	112	&#74;	<b>J</b>	106	6A	152	&#106;	<b>j</b>
11	B	013	<b>VT</b> (vertical tab)	43	2B	053	&#43;	<b>+</b>	75	4B	113	&#75;	<b>K</b>	107	6B	153	&#107;	<b>k</b>
12	C	014	<b>FF</b> (NP form feed, new page)	44	2C	054	&#44;	<b>,</b>	76	4C	114	&#76;	<b>L</b>	108	6C	154	&#108;	<b>l</b>
13	D	015	<b>CR</b> (carriage return)	45	2D	055	&#45;	<b>-</b>	77	4D	115	&#77;	<b>M</b>	109	6D	155	&#109;	<b>m</b>
14	E	016	<b>SO</b> (shift out)	46	2E	056	&#46;	<b>.</b>	78	4E	116	&#78;	<b>N</b>	110	6E	156	&#110;	<b>n</b>
15	F	017	<b>SI</b> (shift in)	47	2F	057	&#47;	<b>/</b>	79	4F	117	&#79;	<b>O</b>	111	6F	157	&#111;	<b>o</b>
16	10	020	<b>DLE</b> (data link escape)	48	30	060	&#48;	<b>0</b>	80	50	120	&#80;	<b>P</b>	112	70	160	&#112;	<b>p</b>
17	11	021	<b>DC1</b> (device control 1)	49	31	061	&#49;	<b>1</b>	81	51	121	&#81;	<b>Q</b>	113	71	161	&#113;	<b>q</b>
18	12	022	<b>DC2</b> (device control 2)	50	32	062	&#50;	<b>2</b>	82	52	122	&#82;	<b>R</b>	114	72	162	&#114;	<b>r</b>
19	13	023	<b>DC3</b> (device control 3)	51	33	063	&#51;	<b>3</b>	83	53	123	&#83;	<b>S</b>	115	73	163	&#115;	<b>s</b>
20	14	024	<b>DC4</b> (device control 4)	52	34	064	&#52;	<b>4</b>	84	54	124	&#84;	<b>T</b>	116	74	164	&#116;	<b>t</b>
21	15	025	<b>NAK</b> (negative acknowledge)	53	35	065	&#53;	<b>5</b>	85	55	125	&#85;	<b>U</b>	117	75	165	&#117;	<b>u</b>
22	16	026	<b>SYN</b> (synchronous idle)	54	36	066	&#54;	<b>6</b>	86	56	126	&#86;	<b>V</b>	118	76	166	&#118;	<b>v</b>
23	17	027	<b>ETB</b> (end of trans. block)	55	37	067	&#55;	<b>7</b>	87	57	127	&#87;	<b>W</b>	119	77	167	&#119;	<b>w</b>
24	18	030	<b>CAN</b> (cancel)	56	38	070	&#56;	<b>8</b>	88	58	130	&#88;	<b>X</b>	120	78	170	&#120;	<b>x</b>
25	19	031	<b>EM</b> (end of medium)	57	39	071	&#57;	<b>9</b>	89	59	131	&#89;	<b>Y</b>	121	79	171	&#121;	<b>y</b>
26	1A	032	<b>SUB</b> (substitute)	58	3A	072	&#58;	<b>:</b>	90	5A	132	&#90;	<b>Z</b>	122	7A	172	&#122;	<b>z</b>
27	1B	033	<b>ESC</b> (escape)	59	3B	073	&#59;	<b>;</b>	91	5B	133	&#91;	<b>[</b>	123	7B	173	&#123;	<b>{</b>
28	1C	034	<b>FS</b> (file separator)	60	3C	074	&#60;	<b>&lt;</b>	92	5C	134	&#92;	<b>\</b>	124	7C	174	&#124;	<b> </b>
29	1D	035	<b>GS</b> (group separator)	61	3D	075	&#61;	<b>=</b>	93	5D	135	&#93;	<b>]</b>	125	7D	175	&#125;	<b>}</b>
30	1E	036	<b>RS</b> (record separator)	62	3E	076	&#62;	<b>&gt;</b>	94	5E	136	&#94;	<b>^</b>	126	7E	176	&#126;	<b>~</b>
31	1F	037	<b>US</b> (unit separator)	63	3F	077	&#63;	<b>?</b>	95	5F	137	&#95;	<b>_</b>	127	7F	177	&#127;	<b>DEL</b>

Source: [www.asciitable.com](http://www.asciitable.com)



# Comparisons Within Sequence

- It makes sense to compare within a sequence (lower case, upper case, digits).
  - 'a' < 'b' True
  - 'A' < 'B' True
  - '1' < '9' True
- Can be weird outside of the sequence:
  - 'a' < 'A' False
  - 'a' < '0' False





# Whole Strings

- Compare the first element of each string:
  - if they are equal, move on to the next character in each
  - if they are not equal, the relationship between those to characters are the relationship between the string
  - if one ends up being shorter (but equal), the shorter is smaller



# Examples

- 'a' < 'b' True
- 'aaab' < 'aaac'
  - First difference is at the last char. 'b' < 'c' so 'aaab' is less than 'aaac'. True.
- 'aa' < 'aaz'
  - The first string is the same but shorter. Thus it is "smaller". True.



# Membership Operations

- Can check to see if a substring exists in the string, the `in` operator. Returns True or False

```
myStr = 'aabbccdd'
```

```
'a' in myStr  True
```

```
'abb' in myStr  True
```


```
'x' in myStr  False
```



# Strings are Immutable

- Strings are immutable, that is you cannot change one once you make it:
  - `aStr = 'spam'`
  - `aStr[1] = 'l'` ❌❌ ERROR
- However, you can use it to make another string (copy it, slice it, etc).
  - `newStr = aStr[:1] + 'l' + aStr[2:]`
  - `aStr` ❌❌ `'spam'`
  - `newStr`  $\Rightarrow$  `'slam'`





# String Methods and Functions



# Functions, First Cut

- A function is a program that performs some operation. Its details are hidden (encapsulated), only its interface provided.
- A function takes some number of inputs (arguments) and returns a value based on the arguments and the function's operation.



# String Function: Len

- The `len` function takes as an argument a string and returns an integer, the length of a string.

```
myStr = 'Hello World'
```

```
len(myStr)  11 # space counts
```



# String Method

- A **method** is a variation on a function
  - like a function, it represents a program
  - like a function, it has input arguments and an output
- Unlike a function, it is applied in the context of a particular object.
- This is indicated by the ‘dot notation’ invocation





# Example

- `upper` is the name of a method. It generates a new string that has all upper case characters of the string it was called with.

```
myStr = 'Python Rules!'
```

```
myStr.upper()  'PYTHON RULES!'
```

- The string `myStr` called the `upper()` method, indicated by the dot between them.



# More Dot Notation

- In generation, dot notation looks like:
  - `object.method(...)`
- It means that the object in front of the dot is calling a method that is associated with that object's type.
- The methods that can be called are tied to the type of the object calling it. Each type has different methods.



# Find

```
myStr = 'hello'  
myStr.find('l')
```

```
# find index of 'l' in myStr
```

```
2
```

Note how the method 'find' operates on the string object myStr and the two are associated by using the "dot" notation: myStr.find('l').

Terminology: the thing(s) in parenthesis, i.e. the 'l' in this case, is called an **argument**.



# Chaining Methods

Methods can be chained together.

- Perform first operation, yielding an object
- Use the yielded object for the next method

```
myStr = 'Python Rules!'
```

```
myStr.upper()  'PYTHON RULES!'
```

```
myStr.upper().find('0')
```

```
 4
```



# Optional Arguments

Some methods have optional arguments:

- if the user doesn't provide one of these, a default is assumed
- find has a default second argument of 0, where the search begins

aStr = 'He had the bat'

aStr.find('t')  7 # 1<sup>st</sup> 't', start @ 0

aStr.find('t', 8)  13 # 2<sup>nd</sup> 't'



# Nesting Methods

- You can “nest” methods, that is, the result of one method as an argument to another.
- Remember that parenthetical expressions are done “inside out”: do the inner parenthetical expression first, then the next, using the result as an argument.

```
aStr.find('t', aStr.find('t')+1)
```


- Translation: find the second 't'.



# How to Know?

- You can use IDLE to find available methods for any type. You enter a variable of the type, followed by the '.' (dot) and then a tab.
- Remember, methods match with a type. Different types have different methods.
- If you type a method name, IDLE will remind you of the needed and optional arguments.





The image shows a screenshot of a Python Shell window titled "\*Python Shell\*". The window contains a list of methods for a string object, displayed as a dropdown menu. The methods listed are: capitalize, center, count, decode, encode, endswith, expandtabs, find, index, and isalnum. The first two lines of the shell show three prompt characters (>>>). The third line shows the prompt followed by the variable name "myString". The fourth line shows the prompt followed by "myString." and the start of the dropdown menu. The status bar at the bottom right of the window indicates "Ln: 33 Col: 13".


```
>>>
>>>
>>>
>>>
>>> capitalize
>>> center
>>> count
>>> decode
>>> encode
>>> endswith
>>> expandtabs
>>> find
>>> index
>>> myString isalnum
>>> myString.
```

Ln: 33 Col: 13

**FIGURE 4.7** In IDLE, tab lists potential methods.








The image shows a window titled "\*Python Shell\*" with a list of Python methods being displayed as a tab completion menu. The menu items are: index, isalnum, isalpha, isdigit, islower, isspace, istitle, isupper, join, and ljust. The first item, "index", is highlighted. The text in the shell is as follows:

```
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>> myString  
>>> myString.i
```

At the bottom right of the window, the status bar shows "Ln: 33 Col: 14".

**FIGURE 4.8** In IDLE, tab lists potential methods, with leading letter.





```
>>>
>>>
>>> myString = 'abcd'
>>> myString.find(|
S.find(sub [,start [,end]]) -> int
Ln: 33 Col: 18
```

**FIGURE 4.9** IDLE pop-up provides help with function arguments and return types.



# More Methods

(Even more exist: <http://docs.python.org/lib/string-methods.html>)

- `s.capitalize`
- `s.center(width)`
- `s.count(sub, [,start [,end]])`
- `s.ljust(width)`
- `s.lower()`
- `s.upper()`
- `s.lstrip()`
- `s.rfind(sub, [,start [,end]])`
- `s.splitlines([keepends])`
- `s.strip()`
- `s.translate(table [, delchars])`





# String Formatting

CSE 231, Bill Punch



# String Formatting, Better Printing

- So far, we have just used the defaults of the print function.
- We can do many more complicated things to make that output “prettier” and more pleasing.
- We will apply it to our “display” function.




# Basic Form

- To understand string formatting, it is probably best to start with an example:

```
print "Sorry, is this the %d minute  
%s?" % (5, 'ARGUMENT')
```

```
prints Sorry, is this the 5 minute  
ARGUMENT
```





Sorry, is this the 5 minute ARGUMENT?

**FIGURE 4.10** String formatting example.



# Format String

- The format string contains a set of format descriptors that describe how an object is to be printed.
- Overall:

`%[name][flags][width][.precision]code`

where [ ] are optional





# Many Descriptors

- %s string
- %d decimal
- %e floating point exponent
- %f floating point decimal
- %u unsigned integer
- and others



# Matching Object to Descriptor

- Objects are matched in order with format descriptors. The substitution is made and resulting string printed

```
print "%s is %d years old" % ("Bill", 25)
```

```
prints Bill is 25 years old
```



```
print "%10s is %-10d years old." % ("Bill", 25)
```

String 10 spaces wide  
including the object  
right justified.

Decimal 10 spaces wide  
including the object  
“-” means left justified.

OUTPUT:

Bill is 25 years old.  
10 spaces 10 spaces


**FIGURE 4.11** String formatting with width descriptors.



# Precision

- `print math.pi`
  - 3.14159265359
- `print "%.4f" % math.pi`
  - 3.1416 (4 decimal points of precision, with rounding)
- `print "%10.2f" % math.pi`
  - 3.14 (10 spaces total including the number and the decimal point)





# Iteration Through a Sequence

- To date, we have seen the while loop as a way to iterate over a suite (a group of python statements)
- We briefly touched on the for statement for iteration, such as the elements of a list or a string



# for Statement

We use the for statement to process each element of a list, one element at a time:

```
for item in sequence:  
    suite
```



# What `for` means

```
myStr='abc'
```

```
for myVar in 'abc':
```

```
    print myVar
```

- first time through, `myVar='a'` (`myStr[0]`)
- second time through, `myVar='b'` (`myStr[1]`)
- third time through, `myVar='c'` (`myStr[2]`)
- no more sequence left, we quit





# Power of the for Statement

- Sequence iteration as provided by the for statement is very powerful and very useful in Python.
- Allows you to write some very “short” programs that do powerful things.






# Code Listing 4.1 Find a Letter



```
river = 'Mississippi'
target = raw_input('Input character to find: ')
for index in range(len(river)): #for each index
    if river[index] == target: #check
        print "Letter found at index: ", index
        break # stop searching
else:
    print 'Letter',target,'not found in',river
```





Code Listings 4.2-4.3  
Letter plus Index



# Enumerate Function

- The enumerate function prints out two values: the index of an element and the element itself
- Can use it to iterate through both the index and element simultaneously, doing dual assignment



```
# print first occurrence
river = 'Mississippi'
target = raw_input('Input character to find: ')
for index,letter in enumerate(river):
    if letter== target: #check
        print "Letter found at index: ", index
        break          # stop searching
else:
    print 'Letter',target,'not found in',river
```



```
# print all occurrences
river = 'Mississippi'
target = raw_input('Input character to find: ')
for index,letter in enumerate(river):
    if letter== target: #check
        print "Letter found at index: ", index
        # break          # stop
else:
    print 'Letter',target,'not found in',river
```



# Split Function

- The split function will take a string and break it into multiple new string parts depending on what the argument character is.
- By default, if no argument is provided, split is on any whitespace character (tab, blank, etc.)
- You can assign the pieces with multiple assignment if you know how many pieces are yielded.





# Reorder a Name

```
origName = 'John Marwood Cleese'  
first,mid,last = origName.split()  
name = last + ', ' + first + ' ' + mid  
print name
```



# Palindromes and the Rules

- A palindrome is a string that prints the same forward and backwards
- Same implies that:
  - case does not matter
  - punctuation is ignored
- “Madam I’m Adam” is thus a palindrome



# Lower Case and Punctuation

- Every letter is converted using the lower method
- Import string, brings in a series of predefined sequences (string.digits, string.punctuation, string.whitespace)
- We remove all non-wanted characters with the replace method. First arg is what to replace, the second the replacement.



# Code Listing 4.4

## Palindromes



```
# first part
import string
originalString = raw_input('Input a string:')
modifiedStr = originalString.lower()
badChars = string.whitespace +
string.punctuation
for char in modifiedStr:
    if char in badChars: # remove bad
        modifiedStr = modifiedStr.replace(char,"")
```



```
# second part
```

```
if modifiedStr == modifiedStr[::-1]: # pal ?
```

```
    print 'The original string is: %s\n'
```

```
    the modified string is: %s\n'
```

```
    the reversal is:      %s\n'
```

```
    The string is a palindrome' %
```

```
    (originalString, modifiedStr, modifiedStr[::-1])
```

```
else:
```

```
    # similar printing for not a palindrome
```



# Example: Counting Poker Hands

